# **Chapter G:I**


- I. Scientific Toolbox
  - □ Literature Research
  - Oral Presentations
  - □ Paper Writing Basics

G:I-16 Scientific Toolbox ©WACHSMUTH 2020

### Content of a Paper

- Most of the above hints on talks still hold
  - Science is storytelling
     Seminar: No scientific break-through expected,
     rather summarize and discuss.
  - Science needs to be understood
- Papers are more complete
  - Tell the whole story, avoid gaps in argumentation
  - But: Include only relevant content
     Don't expect too much prior knowledge.
  - But: No details on knowledge that can be presupposed
- Papers should be sound
  - Need to be precise more than in talks
  - Use logical arguments, from broad context to deep details
  - Formalize concepts if needed / helpful





"Don't make me think."



Steve Krug

G:I-17 Scientific Toolbox © WACHSMUTH 2020

## Structure of a Paper

- High-level stucture
  - Title, author information, abstract
  - Introduction
  - Usually 2–5 sections Related work, approach, experiments, etc.
  - Conclusion
  - References

... and sometimes appendices

- Section structure
  - Often numbered subsections (2.1, 2.2, ...)
  - If any, subsubsections unnumbered
  - Always have text introducing (sub)sections

## Section headings

- Stick to the standard: "Introduction" is first, "Conclusion" is last, etc.
- Short misleading headings worse than longer clear ones

#### The Impact of Modeling Overall Argumentation with Tree Kernels

Henning Wachsmuth Bauhaus-Universität Weimar Faculty of Media, Webis Group

henning.wachsmuth@uni-weimar.de gmartino@hbku.edu.qa

#### Dorn Kiesel Bauhaus-Universität Weimar Faculty of Media, VR Group dora.kiesel@uni-weimar.de

Several approaches have been proposed to model either the explicit sequential structure of an argumentative text or its implicit hierarchical structure. So far, the adequacy of these models of overall argumentation remains unclear. This paper asks what type of structure is actually important to tackle downstream tasks in computational argumentation. We analyze patterns in the overall argumentation of texts from three corpora. Then, we adapt the idea of positional tree kernels in order to capture sequential and hierarchical argumentative structure to gether for the first time. In systematic experiments for three text classification tasks, we find strong evidence for the impact of both types of structure. Our results suggest that either of them is necessary while their combination may be beneficial.


Argumentation theory has established a number of major argument models focusing on different aspects, such as the roles of an argument's units (Toulmin, 1958), the inference scheme of an argument (Walton et al., 2008), or the support and attack relations between arguments (Freeman, 2011). The common ground of these models is that they conceptualize an argument as a conclusion (in terms of a claim) inferred from a set of pro and con premises (reasons), which in turn may be the conclusions of other arguments. For the overall argumentation of a monological argumentative text such as the one in Figure 1(a), this results in an implicit hierarchical structure with the text's main claim at the lowest depth. In addition, the text has an explicit linguistic of (monological) overall argumentation is imporstructure that can be seen as a regulated sequence of speech acts (van Eemeren and Grootendorst, 2004). To this end, we consider three corpora with fully

#### Giovanni Da San Martino

Qatar Computing Research Institute Arabic Language Technologies

#### Renno Stein

Rauhaus-Universität Weimar Faculty of Media, Webis Group benno.stein@uni-weimar.de



taken from the Arg-Microtexts corpus introduced in Section 3. (b) Graph visualization of the sequential and hierarchical overall argumentation of the text

Figure 1(b) illustrates the interplay of the two types of overall structure in form of a tree-like graph. Natural language processing research has largely adopted the outlined hierarchical models for min ing arguments from text (Stab and Gurevych, 2014; Habernal and Gurevych, 2015; Peldszus and Stede, 2016). However, the adequacy of the resulting overall structure for downstream analysis tasks of computational argumentation has rarely been evaluated (see Section 2 for details). In fact, a computational approach that can capture patterns in hierarchical overall argumentation is missing so far. Even more our previous work indicates that a sequential model of overall structure is preferable for analysis tasks such as stance classification or quality assessment (Wachsmuth and Stein, 2017).

In this paper, we ask and investigate what model tant to tackle argumentation-related analysis tasks.

Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing, pages 2369–2379
Copenhagen, Denmark, September 7–11, 2017. ©2017 Association for Computational Linguistics

© WACHSMUTH 2020 G:I-18 Scientific Toolbox

#### **Abstract**

- A concise high-level summary of the paper
- Usually 5–10 sentences
- One "approach"
  - Motivation and context (1 sentence)
  - Problem and why not solved (1–2 sentences)
  - Question addressed in the paper (1 sentence)
  - Approach with some details (2–3 sentences)
  - Evaluation, results, conclusion (1–3 sentences)
- Or in other words
  - What is the problem? Why is it a problem?
  - What is the solution? Why is it a solution to the problem?


#### **Abstract**

Several approaches have been proposed to model either the explicit sequential structure of an argumentative text or its implicit hierarchical structure. So far, the adequacy of these models of overall argumentation remains unclear. This paper asks what type of structure is actually important to tackle downstream tasks in computational argumentation. We analyze patterns in the overall argumentation of texts from three corpora. Then, we adapt the idea of positional tree kernels in order to capture sequential and hierarchical argumentative structure together for the first time. In systematic experiments for three text classification tasks, we find strong evidence for the impact of both types of structure. Our results suggest that either of them is necessary while their combination may be beneficial.

G:I-19 Scientific Toolbox © WACHSMUTH 2020

### Sections

- Introduction
  - The abstract in more detail
  - Tell the whole story, from context to conclusion
  - Still high-level
  - Understandable for computer scientists
- Content sections
  - The introduction in more detail
  - Elaborate on related work, concepts, models, data, approaches, experiments, and results
  - More technical, for researchers from the area
- Conclusion
  - The introduction in less detail
  - Summarize story in retrospective, give outlook
  - Semi-technical



G:I-20 Scientific Toolbox © WACHSMUTH 2020

## Style

- Write clearly, unambiguously, and concise
- Don't make things complex

(common misunderstanding)

### Some guidelines:

- Use impersonal or "we" form
- Avoid pronouns with unclear references
- Use explicit discourse markers, such as "because"
- Blurring is non-scientific, such as "It could be ..."
- English sentences are short, one statement per sentence
- Again: Avoid grammar and spelling errors

### Recommended reports from experienced researchers:

- Justin Zobel: Writing for Computer Science
- David Maxwell: Writing up a PhD thesis
- George D. Gopen and Judith A. Swan: <u>The Science of Scientific Writing</u>



G:I-21 Scientific Toolbox © WACHSMUTH 2020

Style (continued)

- Hints from wordvice.com:
  - avoid nominalizations
  - eliminate prepositions
  - avoid fillers

G:I-22 Scientific Toolbox © WACHSMUTH 2020

Tables, Figures, Terms, and Footnotes

- Tables and figures
  - In papers, just number increasingly
     Figure 1, 2, ... Table 1, 2, ... (NOT: Figure 2.1, 2.2, ...)
  - Tables: Horizontal lines suffice
  - No included font larger than article font
  - Explain in text and in caption
- Technical terms
  - Introduce where needed, don't overformalize
  - Use well-defined terms, AIA & AUA
     Always introduce acronyms & avoid unneccessary acronyms.
  - Don't use synonyms for terms
     Reader is misled to check whether intentional differences exist.

### Footnotes

- Only for secondary information
- Reduced readability, should be an exception
- Don't cite literature using footnotes

AAE-v2		Arg-Microtexts	Web Discourse
Argument units	6089	576	1149
Avg. units/text	15.1	5.1	3.4
Min. units/text	7	3	0
Max. units/text	28	10	16
Arguments	5687	443	560
Avg. depth	2.8	2.0	0.6
Min. depth	2	1	0
Max. depth	5	4	1
Texts	402	112	340

Table 1 ments

(a) monological argumentative text

[1] The death penalty is a legal means that as such is not practicable in Germany, [2] For one thing, involable human dignity is anchored in our constitution, [3] and furthermore no one may have the right to adjudicate upon the death of another human being, [4] Even if many people think that a murderer has already decided on the life or death of another person, in this is precisely the crime that we should not repay with the same.




Figure 1: (a) Example text with five argument units, taken from the *Arg-Microtexts* corpus introduced in Section 3. (b) Graph visualization of the sequential and hierarchical overall argumentation of the text.

wards its parent in the associated tree. This stance can be derived in all corpora.<sup>3</sup> All other unit and relation types from the specific models are ignored, since there is no clear mapping between them.

G:I-23 Scientific Toolbox © WACHSMUTH 2020

<sup>&</sup>lt;sup>3</sup>Alternatively, the stance towards the main claim could be modeled. We decided against this alternative to avoid possibly wrong reinterpretations, e.g., it is unclear whether a unit that attacks its parent always supports a unit attacked by the parent.

### Citations

- Citation
  - In-text reference to a bibliographic source
  - Different styles
     Acronyms [ACW17], ACL style (Ajjour et al., 2017), numbers [42], ...

stance of texts. For myside bias, Stab and Gurevych (2016) use features derived from discourse structure, whereas Faulkner (2014) and Sobhani et al. (2015) model arguments to classify stance. Ong et al. (2014) and we ourselves (Wachsmuth et al., 2016) do similar to assess the quality of persuasive essays, and Beigman Klebanov et al. (2016).

- What to cite
  - Any reuse, paraphrase, summary, or translation of content
  - Rule of thumb: Always clarify what is from you and what from others
     Also have to cite yourself if you use your own sources.
  - Better one citation too much than too few
- How to cite
  - Direct reuse. Put in quotes (shorten with [...]), give source
     Unit segmentation is "[...] the splitting of a text into argumentative segments" [ACW17].
  - Other citations. Give source close-by
     As Ajjour et al. point out, segmentation is the first task of an argument mining pipeline [ACW17].
  - Large text portions. Give source once in the beginning
     In the following paragraph, we summarize the segmentation approach of Ajjour et al. [ACW17].

G:I-24 Scientific Toolbox © WACHSMUTH 2020

#### References

- Bibliographical information at the end of the paper
- Exactly those references cited in the text
- Information should be complete and homogenous
- Needed meta-information
  - All literature. Author, year, title
  - Conferences/Workshops. Proceedings, pages
  - Journals. Journal name, issue, number, pages
  - Books. Edition if any, publisher
  - Only online. Give URL with access date
- → Bibtex
  - LaTeX handles references automatically using bibtex
     See part on organizing literature above.

Aristotle. 2007. On Rhetoric: A Theory of Civic Discourse (George A. Kennedy, translator). Clarendon Aristotle series. Oxford University Press.

Beata Beigman Klebanov, Christian Stab, Jill Burstein, Yi Song, Binod Gyawali, and Iryna Gurevych. 2016. Argumentation: Content, structure, and relationship with essay quality. In Proceedings of the Third Workshop on Argument Mining (ArgMining2016), pages 70–75. Association for Computational Linguistics.

Stefanie Brüninghaus and Kevin D. Ashley. 2003. Predicting outcomes of case based legal arguments. In Proceedings of the 9th International Conference on Artificial Intelligence and Law, pages 233–242.

Chih-Chung Chang and Chih-Jen Lin. 2011. LIB-SVM: A library for support vector machines. ACM Transactions on Intelligent Systems and Technology, 2(3):27:1–27:27.

G:I-25 Scientific Toolbox © WACHSMUTH 2020

### Plagiarism

- □ To sell another's ideas or expressions as one's own See en.wikipedia.org/wiki/Plagiarism
- On purpose or due to lack of giving sources
- Plagiarism is not(!) a trivial offense
   In some countries considered as crime.
- Proper citing avoids all plagiarism issues



- Consequences
  - Major cases lead to the denial of being published, graded, or worse
  - Minor cases can still negatively affect a grade or review outcomes
- □ Webis Group [www.webis.de]
  - We do research on text reuse detection
  - See publications, shared tasks, or the tool picapica [www.picapica.org]



G:I-26 Scientific Toolbox © WACHSMUTH 2020